

中国竹亚科新资料

林万涛 吴志敏

(华南农业大学林学院, 广州, 510642)

摘要 主要报道中国竹亚科一个新种和二新组合, 均分别分布于广东和湖南省。

关键词 玉山竹属; 单苞竹属; 新分类群

中图分类号 Q 949.714.2

广东玉山竹 新组合

Yushania papillosa (W. T. Lin) W. T. Lin, comb. nov. — *Sinarundinaria papillosa* W. T. Lin, J. South China Agr. Univ. 14(3): 110~114.1993.

该种原置于箭竹属 *Sinarundinaria*, 该属的模式种是箭竹 *S. nitida*(Mitford) Nakai, 1985 年易同培在《竹子研究汇刊》第 4 卷第 2 期第 30 ~ 31 页中, 把它组合到法氏竹属 *Fargesia* 去, 原因是其花序下部具有一组佛焰苞, 这个特点正符合法氏竹属, 因此箭竹属的模式种便要等待有花时再选, 但本种的假鞭较纤细, 应属玉山竹属 *Yushania*。

射毛玉山竹 新种 图 1

Yushania actinoseta W.T.Lin et Z.M. Wu, sp. nov.

Species affinis *Y. papillosae*(W. T. Lin)W. T. Lin, sed nodis cicatricibus culmorum suberosis prominulis plus minusve hispidis, ligulis vaginarum bilobis, margine laceris, auriculis vaginarum lunulatis, setis auriculis radiatis differt.

Rhizomata sympodialis, collum culmi in rhizoman formam elongatum. Culmi 60~80 cm alti, 4~7 mm diam.; internodiis teretibus 11~13 cm longis, plus minusve albo-hispidis; nodis paullo prominentibus; nodis cicatricibus suberosis prominulis, plus minusve hispidis. Vaginae culmi tarde deciduae, apice subtruncatae, utrinque margine ciliatae, dorso versus basin albo-hispidae; ligulis 1 mm longis, apice bilobis, margine laceris; auriculis lunulatis, setis auriculis radiatis; laminis anguste lanceolatis reflexis. Rami 3 in quoque nodo, primario semipatenti, ceteris erectis. Folia in quoque ramo 4~5, vaginis foliorum dorso hispidis, margine ciliatis; ligulis 1 mm longis truncatis; auriculis lunulatis; setis auriculis radiatis; laminis 8~17 cm longis, 13~25 mm latis, supra glabris, subtus versus basin albo-pubescentibus; nervis secundariis utrinque 5~7.

Guangdong(广东): Ruyuan(乳源), Tianjing shan(天井山) alt.1693 m, 16 XII 1994, Zhi Min Wu(吴志敏) S 379(Type CANT).

本种近广东玉山竹 *Y. papillosa*(W. T. Lin)W. T. Lin, 区别在秆的箨环呈木栓质状隆起, 有或多或少粗毛, 箨舌 2 裂, 边缘撕裂状, 箨耳新月形, 耳上繸毛放射状。

1995-01-27 收稿




图1 射毛玉山竹 *Yushania actinoseta* W. T. Lin et Z. M. Wu, sp. nov.

1. 秆的基部及地下茎; 2. 秆的一段示分枝 3. 秆箨的中部至上部
4. 枝条上的叶; 5. 叶的一部分, 示叶耳和叶舌

单苞竹属 *Monospatha* W. T. Lin, J. Bamb. Res. 13(4):1~3.1994.

Descr. emend.: Rhizoma sympodialis, collum culmi gracile elongatum.

Typus generis: *Monospatha canoviridis* (G. H. Ye et Z. P. Wang) W. T. Lin, comb.nov. — *Yushania canoviridis* G. H. Ye et Z. P. Wang, Act. Phytotax. Sin. 27(3):228~229. pl. 1. f. 1~4. 1989. — *Monospatha triloba* W. T. Lin, J. Bamb. Res. 13 (4):1~3. 1994. syn. nov.

单苞竹 *Monospatha triloba* 和灰绿玉山竹 *Yushania canoviridis* 在营养器官方面, 其形态特征完全相同, 而且均产生于湖南的张家界, 根据国际命名法规应该归并, 故作新组合。

NEW MATERIALS OF BAMBUSOIDEAE FROM CHINA

Lin Wantao Wu Zhimin

(College of Forestry, South China Agr. Univ., Guangzhou, 510642)

Abstract

The present paper is a report of one new species and two new combinations which are *Yushania actinoseta*; *Y. papillosa*; *Monospatha canoviridis*. These are all distributed in Guangdong and Hunan Provinces.

Key words *Yushania*; *Monospatha*; new taxa