

Two Newly Recorded Plants from Vietnam

LI Bing-tao (LI Ping-tao) , ZHUANG Xue-ying, HUANG Jiu-xiang

(College of Forestry, South China Agric. Univ, Guangzhou 510642, China)

Abstract: Two species ,*Anodendron hawii*(Apocynaceae) and *Phyllanthodendron dunnianum*(Euphorbiaceae), are reported as new records from Vietnam.

Key words: *Anodendron hawii*; Apocynaceae; *Phyllanthodendron dunnianum*; Euphorbiaceae; new records; Vietnam

CLC number: Q949

Document code: A

Article ID: 1001-411X(2006)02-0123-02

越南植物分布新记录

李秉滔, 庄雪影, 黄久香

(华南农业大学 林学院, 广东 广州 510642)

摘要: 报道了越南2种植物分布新记录, 包括夹竹桃科 Apocynaceae 的保亭鳝藤 *Anodendron hawii* Tsiang 和大戟科 Euphorbiaceae 的枝翅珠子木 *Phyllanthodendron dunnianum* Levl.

关键词: 保亭鳝藤; 夹竹桃科; 枝翅珠子木; 大戟科; 新记录; 越南

Based on our determination in American Missouri Botanical Garden Herbarium (MO), the distributions of the following two species are new records to Vietnam.

1 *Anodendron hawii* Tsiang

Anodendron hawii Tsiang in Sunyatsenia 3:141, Pl. 15 fig. 9. 1936, et in Acta Phytotax. Sin. 10:32. 1965; Tsiang et P. T. Li in Fl. Hainan 3:242. 1974, et Fl. Reip. Pop. Sin. 63:179. 1977; et in Fl. Guangdong 1:464, fig. 520. 1987; P. T. Li et al., Fl. China 16:182. 1995. —Type: Hainan, Boting, F. C. How 72721 (holotype, SCBI, Isotype, A).

Vietnam: Ninh Binh Province, Cuc Phuong National Park, Dan Village, 0.5 km to Bong, Primary Secondary, 23 June 2000, N. M. Cuong, D. T. Kien et M. V. Sinh 843 (MO).

Distribution: China: Hainan, Guangxi. *Anodendron hawii* is newly recorded in Vietnam.

2 *Phyllanthodendron dunnianum* Levl

Phyllanthodendron dunnianum Levl. in Fedde, Report. Spec. Nov. 9:324. 1911, et Fl. Kouy-Tcheou 166. 1914; Hand. -Mazz., Symb. Sin. 7(2):224, 1931; Croiz. in Journ. Ann. Arb. 23:37. 1942; Lauener in Not. Roy. Bot. Gard. Edinb. 40(3):484. 1983; P. T. Li in Bull. Bot. Res. 7(3):8. 1987; P. T. Li et Z. J. Feng in Higher Pl. Chin. 8:43, fig. 67. 2001; F. N. Wei in Fl. Guangxi 2:204. 2005. —Type: Guizhou, Luodian (Lo-fou), November 1905, J. Cavalerie 2659 (Holotype, E. photo, SCBI).

Phyllanthodendron cavaleriei Levl. In Fedde, Report. Spec. Nov. 9:454. 1911, et Fl. Kouy-Tcheou 66. 1914. —Type: Guizhou, Luodian (Lo-fou), Vert-arbrisseau, 4. 1907, J. Cavalerie 3284 (Holotype, E. photo, SCBI).

Received date: 2005-11-29

Biography: LI Bing-tao (LI Ping-tao) (1936-), male, professor, E-mail: Li85280485@126.com

Phyllanthodendron dunnianum Levl. var. *hypoglaucum* Levl., Fl. Kouy-Tcheou 166. 1914. — Type: Guizhou, Luodian (Lo-fou), April and May 1909. J. cavalerie 3500 (Holotype, E. photo. SCBI).

Phyllanthodendron dunnianus (Levl.) Hand.-Mazz. ex. Rehd. in Journ. Arn. Arb. 14: 230. 1933.

Vietnam: Ha Giang, Quang Ba District, at Sin Suoi Ho Village along Sin Suoi Ho River. Collections on small limestone mountain. Shrub to 1.5 m, 2 April 2000. D. K. Harder, L. V. Averganov, K. Daria &

N. Q. Hieu 4906 (MO); Nguyen Binh, municipality Ca Thanh, Vicinity of Ca Lu Village, about 7-8 km to SE from Yen Lac Village, secondary forest on Bang alluvial foothills of Karst remnant limestone ridge. Treelet or shrub up to 2-3 m high, 21 November 1998, L. Averyanov et al. CBL 554 (MO); Cao Bang, Limestone, 13 April 1999, P. K. Loc., P. H. Hoang & L. Averyanov CBL 1265 (MO).

Distribution: Guangxi, Guizhou, Yunnan. *Phyllanthodendron dunnianum* is newly recorded in Vietnam.

【责任编辑 李晓卉】

(上接第122页)

近,但本种雌、雄花萼片均为6枚,顶端圆;雄花序生于小枝下部,雌花单生,易与其区别。

Phyllanthus debilis Hamilton ex Hook. f. (Fl. Brit. Ind. 5:299. 1887.) 是 *Phyllanthus debilis* Klein ex Willd. 的异物同名,原植物已被 R. L. Mitra 和 M. P. Nayar 订正为 *Phyllanthus airy-shawii* Brunel & Roux^[7]。

《广东植物志》第5卷(2003)记载的 *Phyllanthus niruri* Linn. 实为本种的误订。

锐叶小返魂不符合广东的命名习惯,因而另起新名如上。

本逸生种在广东和海南为首次报道。

参考文献:

- [1] HOLM-NIELSEN L B. Comments on the distribution and evolution of the genus *Phyllanthus* (Euphorbiaceae) [M] // LARSEN K, HOLM-NIELSEN L B. Tropical botany. London: Academic Press, 1979:277-278.

- [2] 李秉滔. 中国植物志:第44卷第1分册[M]. 北京:科学出版社, 1994:78-116.
- [3] WEBSTER G L. A monographic study of the West Indian species of *Phyllanthus* [J]. Journ Arnold Arbor, 1957, 38:52-61;307-315.
- [4] CHEN Shih-huei, WU Ming-jou. A revision of the herbaceous *Phyllanthus* L (Euphorbiaceae) in Taiwan [J]. Taiwan, 1997, 42:239-261.
- [5] KUROSAWA T. A recent introduction of *Phyllanthus tenellus* (Euphorbiaceae) to Japan [J]. Journ Jap Bot, 2001, 76:51-52.
- [6] KUROSAWA T. Taxonomy and distribution of Japanese *Phyllanthus* (Euphorbiaceae) [J]. Acta Phytotax Geog, 2001, 52 (1):11-33.
- [7] MITRA R L, NAYAR M P. *Phyllanthus airy-shawii* replaces *Phyllanthus debilis* (Euphorbiaceae) of Flora of British India [J]. Taxon, 1988, 37(2): 469-470.

【责任编辑 李晓卉】